10

15

Appl. No.10/652,651 Art Unit: 1771 Applicant: Brovard, Marcel Examiner: Elizabeth M. Cole

EXHIBIT A

CLAIM (S)

What we claim is:

1-6 (Canceled)

- 5 7. A protector pad for use with a piece of furniture with legs, the pad being constituted of a flat body of a certain thickness and two pad faces:
 - a lower pad face (22) which is soft, destined to slide against delicate surfaces without scratching them and,
 - an upper pad face (26), said second pad face destined to be fixed to the bottom of said leg (28) of said piece of furniture, the said flat body is constituted of two pieces, each having a certain thickness: a base (32) and a sole (34); the base comprising a fabric (38) with a superior face forming said upper pad face wherein an inferior face (36) comprises first means for assembly; the sole comprising a lower layer (46) whose inferior face forms said lower pad face (22) and an upper layer (42) with a superior face (43) comprising second means for assembly; said means for assembly destined to assemble said sole (34) to said base (32), wherein said first means of assembly constitute of a number of grabbing member hooks (36).
- 20 8. The protector pad of claim 7 wherein said second means of assembly (42) comprise fibers forming arches (44).
 - 9. The protector pad of claim 8 wherein the material of said upper layer (42) of said sole (34) is felt in which the fibers form said arches.
- 10. The protector pad of claim 9 wherein said felt comprises materials25 from a group comprising polyester and natural fibers.
 - 11. The protector pad wherein said sole (34) of claim 7 comprising also a central layer (48) in addition to said inferior and superior layers, said D:\doxsier Important\Clients\ERL-1\MADB577\5- Sous patter US\OFFICE ACTION DU 14 FEV

 3

5

10

Appl. No.10/652,651 Act Unit: 1771 Applicant: Brouard, Marcel Examiner: Elizabeth M. Cole

central layer constituted of a reinforced material.

- 12. The protector pad of claim 11 wherein said superior layer (42) and inferior (46) layers are made of felt material.
- 13. The protector pad of claim 12 wherein said felt material consists either of polyester or natural fibers.
- 14. The protector pad of claim 11 wherein said upper (42) and lower (46) layers are made of felt material and wherein said reinforced material is hardened felt obtained by making the sole material from two sheets of felt put into contact and where the region of contact is exposed to heat thus temporarily melting the surface felt which hardens once both sheets are in contact.

5

15

20

25

Appl. No.10/652,651 Art Unit: 1771 Applicant: Brouard, Marcel Examiner: Elizabeth M. Cole

CLAIM (S)

EXHIBIT"B"

What we claim is:

1-6 (Canceled)

- 7. A protector pad for use with a piece of furniture with legs, the said pad being constituted of comprising a flat body of a certain thickness and two pad faces:
- a lower pad face (22) which is soft, destined to slide against delicate surfaces without scratching them and,
- an upper pad face (26), said second pad face destined to be fixed to the bottom of said leg (28) of said piece of furniture, the said flat body being is constituted of two pieces, each having a certain thickness: a base (32) and a sole (34); the said base comprising a fabric (38) with a superior face forming said upper pad face and wherein an inferior face (36) comprises comprising first means for assembly; said the sole comprising a lower layer (46) whose inferior face forms said lower pad face (22), a central layer (48) comprising a reinforced material and an upper layer (42) with a superior face (43) comprising second means for assembly; said means for assembly destined to assemble said sole (34) to said base (32), wherein said first means of assembly comprise constitute of a number of grabbing member hooks (36) having a mushroom shape.
- 8. The protector pad of claim 7 wherein said second means of assembly (42) comprise fibers forming arches (44).
- 9. The protector pad of claim 8 wherein the material of said upper layer (42) of said sole (34) comprises a felt the fibers thereof forming is felt in which the fibers form said arches.
- 10. The protector pad of claim 9 wherein said felt comprises materials from a group comprising polyester and natural fibers.

 D:\dossier Important\Clients\ERL-1\MADB577\5- Sous patter Us\Office Action DU 14 FeV

 2006\dnbuMad8577-2006juil17pb_NG.doc

 5

Ing. 418-833-2248

07 18 Q4 10:30a Paul Biron Ing.

p.7

Appl. No.10/652,651 Art Unit: 1771 Applicant: Brouard, Marcel Examiner: Elizabeth M. Cole

- 11. The protector pad wherein said sole (34) of claim 7 comprising also a central layer (48) in addition to said inferior and superior layers, said central layer constituted of a wherein said reinforced material of said central layer of said sole is free from low melt fibers.
- 5 12. The protector pad of claim 11 wherein said superior layer (42) and inferior (46) layers are made of felt material.
 - 13. The protector pad of claim 12 wherein said felt material consists either of polyester or natural fibers.
- 14. The protector pad of claim 11 wherein said upper (42) and lower (46)

 layers are made of felt material and wherein said reinforced material is hardened felt-obtained by making the sole material from two sheets of felt put into contact and where the region of contact is exposed to heat thus temporarily melting the surface felt which hardens once both sheets are in contact.

Appl. No.10/652,651 Art Unit: 1771

Applicant: Brouard, Marcel Examiner : Elizabeth M. Cole

CLAIM (S)

07 18 Q4 10:30a

EXHIBIT"C"

What we claim is:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
 - 4. (Canceled)
 - 5. (Canceled)
 - 6. (Canceled)

15

20

- 7. (Currently amended) A protector pad for use with a piece of 10 furniture with legs, said pad comprising a flat body of a certain thickness and two pad faces:
 - a lower pad face (22) which is soft, destined to slide against delicate surfaces without scratching them and,
 - an upper pad face (26) destined to be fixed to the bottom of said leg (28) of said piece of furniture, said flat body being constituted of two pieces, each having a certain thickness: a base (32) and a sole (34); said base comprising a fabric (38) with a superior face forming said upper pad face and an inferior face (36) comprising first means for assembly; said sole comprising a lower layer (46) whose inferior face forms said lower pad face (22), a central layer (48) comprising a reinforced material and an upper layer (42) with a superior face (43) comprising second means for assembly to assemble said sole (34) to said base (32), wherein said first means of assembly comprise a number of grabbing member hooks (36) having a mushroom shape.
- 25 8. (Previously presented) The protector pad of claim 7 wherein said second means of assembly (42) comprise fibers forming arches (44).
 - 9. (Currently amended) The protector pad of claim 8 wherein the D:\dossier Important\Clients\ERL-1\MAD8577\5- Sous patres US\OFFICE ACTION DU 14 FEV 2006\4abuMad8577-2006juil\7pb_NG.doc

Appl. No.10/652,651 Art Unit: 1771

07 18 04 10:30a

Applicant: Brouard, Marcel Examiner: Elizabeth M. Cole

material of said upper layer (42) of said sole (34) comprises a felt the fibers thereof forming said arches.

- 10. (Previously presented) The protector pad of claim 9 wherein said felt comprises materials from a group comprising polyester and natural fibers.
- 11. (Currently amended) The protector pad of claim 7 wherein said reinforced material of said central layer of said sole is free from low melt fibers.
 - 12. (Previously presented) The protector pad of claim 11 wherein said superior layer (42) and inferior (46) layers are made of felt material.
- 10 13. (Previously presented) The protector pad of claim 12 wherein said felt material consists either of polyester or natural fibers.
 - 14. (Currently amended) The protector pad of claim 11 wherein said reinforced material is hardened felt.